

Liberty



8314

Liberty Flush Fitting

Code	Max Wattage	Diam (mm)	Proj (mm)
8314	6x 40w G9	460	170

Colour: Chrome with Crystal





Daisy

8315



Celine

8316



Sadie

8317



Semi Flush Fittings

Code	Max Wattage	Diam (mm)	Proj (mm)
8315	3x 40w E14	400	170
8316	3x 40w E14	400	170
8317	3x 40w E14	400	170

Colour: Opal Glass with Decorative Pattern

Chicago



5914



Chicago Flush Fitting

Code	Max Wattage	Diam (mm)	Height (mm)
5914	3x 42w E27	470	230
Colours: Cream Taupe			

Phoenix



2315 flush fitting



2314 pendant



Phoenix Flush Fitting & Pendant

Code	Max Wattage	Diam (mm)	Height (mm)	Max Drop (mm)	Proj (mm)
2314	3x 42w E27	470	160	1260	
2315	2x 42w E27	470			155

Colours: Cream
Taupe

Madison



4887 semi flush fitting



4886 pendant



Madison Semi Flush Fitting & Pendant

Code	Max Wattage	Diam (mm)	Height (mm)	Max Drop (mm)
4886	3x 40w E27	450	150	1160
4887	3x 40w E27	450	240	

Colours: Cream
Taupe

Siena LED



8341



LED's inside the 8341 & 8342

Atlantis LED



8342

Vento



8343

Siena & Atlantis LED Flush Fittings

Code	Max Wattage	Diam (mm)	Proj (mm)
8341	12w LED 720lm 3000K	345	90
8342	12w LED 720lm 3000K	350	90

Colours: 8341 – White Polycarbonate Diffuser

8342 – White Polycarbonate Diffuser and Chrome Trim

3 year guarantee.

IP44 rated

Vento Opal Glass Flush Fitting

Code	Max Wattage	Diam (mm)	Proj (mm)
8343	2x 60w E27	260	90

Colour: Opal Glass

IP44 rated

Casa



Ascot



Casa Flush Fittings

Code	Max Wattage	Length (mm)	Proj (mm)
2338	Low Energy 2x 24w T5	650	85
2339	Low Energy 2x 54w T5	1250	90

Colour: Brushed Steel

Supplied with 3000K lamps

Ascot Flush Fitting

Code	Max Wattage	Diam (mm)	Proj (mm)
8657	Low Energy 1x 28w 2D GR10q	310	100

Colour: White Trim and Polycarbonate Diffuser

Supplied with 3000K lamp

Optional Colour Trim for Ascot Flush Fitting

Code	Colours
8658	Brushed Steel Trim
	Chrome Trim
	Polished Brass Trim

Regis LED



4912



Regis LED Flush Fitting

Code	Max Wattage	Diam (mm)	Proj (mm)
4912	8w LED 560lm 4000K	270	90

Colours: Chrome Polycarbonate with Opal Diffuser

Black Polycarbonate with Opal Diffuser

3 year guarantee.

IP65 rated



Rondo



2740 / 8611 flush fitting – matt white

LED OPTION



2745 flush fitting & wall light – matt white



2745 flush fitting & wall light – chrome



2745 flush fitting & wall light – brushed steel

LED OPTION



2740 / 8611
flush fitting – chrome

LED OPTION



2740 / 8611
flush fitting – brushed steel

Rondo Flush Fitting & Wall Light

Code	Max Wattage	Diam (mm)	Proj (mm)
2740	1x 60w E27	310	85
2745	1x 40w G9	180	55
8611	11w LED 540lm 3000K	310	85

Colours: Brushed Steel with Opal Glass

Chrome with Opal Glass

Matt White with Opal Glass

2740, 2745 – IP54 rated.

8611 – 3 year guarantee, IP44 rated

Opal Sphere



Opal Glass Sphere with White Gallery

Code	Max Wattage	Diam (mm)	Proj (mm)
1090	1x 60w E27	150	180
1091	1x 100w E27	180	210

Colour: Opal Glass
IP40 rated



LED Fibre Optics



LED Fibre Optic Lighting Pack

Code	Features
1830	112 Fibre Optic Tails – 1.25 metres/1.5 metres/1.75 metres/2.0 metres lengths
	1x 3w LED 4000K with Integral Driver & Motor
	Fitted with White Twinkle Effect Wheel and Hold Button
	Drill Diameter for End Fitting 1mm to 3mm
	Control Box Dimensions 132 x 67 x 98mm
Colour: White Twinkle Effect	
3 year guarantee	